

ELEVATION CERTIFICATE

IMPORTANT: Follow the instructions on pages 1-9.

OMB No. 1660-0008
 Expiration Date: July 31, 2015

SECTION A - PROPERTY INFORMATION

A1. Building Owner's Name: EDWARD KLUDNER JR.

A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or R.O. Route and Box No.: 35 PERRY DRIVE

City: BRICK TOWNSHIP State: NEW JERSEY ZIP Code: 08723

A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.): TAX MAP LOT 9 BLOCK 252.17 BRICK TOWNSHIP Ocean County N.J.

A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.): RESIDENTIAL

A5. Latitude/Longitude: Lat. 40.82288 Long. -74.1816 Horizontal Datum: NAD 1927 NAD 1983

A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance.

A7. Building Diagram Number: 8

A8. For a building with a crawspace or enclosure(s):
 a) Square footage of crawspace or enclosure(s): 961 sq ft
 b) No. of permanent flood openings in the crawspace or enclosure(s) within 1.0 foot above adjacent grade: 5
 c) Total net area of flood openings in A8.b: 1250 sq in
 d) Engineered flood openings? Yes No

A9. For a building with an attached garage:
 a) Square footage of attached garage: 459 sq ft
 b) Number of permanent flood openings in the attached garage within 1.0 foot above adjacent grade: 2
 c) Total net area of flood openings in A9.b: 500 sq in
 d) Engineered flood openings? Yes No

SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION

B1. NFIP Community Name & Community Number: TOWNSHIP OF BRICK 345285

B2. County Name: OCEAN COUNTY

B3. State: N.J.

B4. Map/Panel Number: 34029C0213

B5. Suffix: F

B6. FIRM Index Date: 9-29-2006

B7. FIRM Panel Effective/Revised Date: 9-29-2006

B8. Flood Zone(s): AE

B9. Base Flood Elevation(s) (Zone AO, use base flood depth): 5'

B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9:
 FS Profile FIRM Community Determined Other/Source: _____

B11. Indicate elevation datum used for BFE in item B9: NGVD 1929 NAVD 1988 Other/Source: _____

B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? Yes No
 Designation Date: _____ / _____ / _____ CBRS OPA

SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)

C1. Building elevations are based on: Construction Drawings* Building Under Construction* Finished Construction ✓
 *A new Elevation Certificate will be required when construction of the building is complete.

C2. Elevations - Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR/AO. Complete items C2.a-h below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters.

Benchmark Utilized: USCG MARK 8273 Vertical Datum: NAVD 1988

Indicate elevation datum used for the elevations in items a) through h) below. NGVD 1929 NAVD 1988 Other/Source: _____
 Datum used for building elevations must be the same as that used for the BFE.

Check the measurement used.

a) Top of bottom floor (including basement, crawspace, or enclosure floor) 4.5 feet meters

b) Top of the next higher floor 9.2 feet meters

c) Bottom of the lowest horizontal structural member (V Zones only) N/A feet meters

d) Attached garage (top of slab) 5.3 feet meters

e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments) 8.5 feet meters

f) Lowest adjacent (finished) grade next to building (LAG) 4.5 feet meters

g) Highest adjacent (finished) grade next to building (HAG) 4.8 feet meters

h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural support 4.2 feet meters

SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION

This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information. I certify that the information on this Certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

Check here if comments are provided on back of form. Were latitude and longitude in Section A provided by a licensed land surveyor? Yes No

Check here if attachments.

Certifier's Name <u>WILLIAM C ENDRISS</u>		License Number <u>GS 02748600</u>	
Title <u>LAND SURVEYOR</u>		Company Name <u>DOLAN-ENDRISS ASSOC. P.A.</u>	
Address <u>651 WEST LACEY ROAD</u>		City <u>FORKED RIVER</u>	State <u>NJ</u>
Signature <u>William C. Endriss</u>		Date <u>2-26-2015</u>	ZIP Code <u>08731</u>
		Telephone <u>609-693-6452</u>	

William C. Endriss
 Will Endriss
 PLACE
 SEAL HERE
 GS 02748600
 2-26-2015
 Updated 3-19-2015

ELEVATION CERTIFICATE, page 2

IMPORTANT: In these spaces, copy the corresponding information from Section A.			FOR INSURANCE COMPANY USE	
Building Street Address (Including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. <u>35 PERRY DRIVE</u>			Policy Number	
City <u>BRICK TOWNSHIP</u>	State <u>NJ</u>	ZIP Code <u>08723</u>	Company Name/Number	

SECTION D – SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED)

Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner.

Comments ① TWO STORY DWELLING WITH ATTACHED GARAGE ② HOT WATER ELEV 10.8 & FURNACE ELEV. 8.5 BOTH RAISED IN GARAGE ③ FLOOD VENTS ARE USA FLOOD/AIR VENTS 250 S INCHES EACH ④ PRELIMINARY FEMA RATE MAP HAS PROPERTY IN ZONE AE ELEVATION 7.5

Signature [Signature] Date 2-26-2015 UPDATED 3-19-2015 GRADE CHANGE AROUND DWELLING

SECTION E – BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE)

For Zones AO and A (without BFE), complete Items E1–E5. If the Certificate is intended to support a LOMA or LOMR-F request, complete Sections A, B, and C. For items E1–E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters.

- E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (HAG) and the lowest adjacent grade (LAG).
- a) Top of bottom floor (including basement, crawlspace, or enclosure) is _____ feet meters above or below the HAG.
- b) Top of bottom floor (including basement, crawlspace, or enclosure) is _____ feet meters above or below the LAG.
- E2. For Building Diagrams 6–9 with permanent flood openings provided in Section A Items 8 and/or 9 (see pages 8–9 of Instructions), the next higher floor (elevation C2.b in the diagrams) of the building is _____ feet meters above or below the HAG.
- E3. Attached garage (top of slab) is _____ feet meters above or below the HAG.
- E4. Top of platform of machinery and/or equipment servicing the building is _____ feet meters above or below the HAG.
- E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance? Yes No Unknown. The local official must certify this information in Section G.

SECTION F – PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION

The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here. The statements in Sections A, B, and E are correct to the best of my knowledge.

Property Owner or Owner's Authorized Representative's Name _____

Address _____	City _____	State _____	ZIP Code _____
Signature _____	Date _____	Telephone _____	

Comments _____

Check here if attachments.

SECTION G – COMMUNITY INFORMATION (OPTIONAL)

The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in items G8–G10. In Puerto Rico only, enter meters.

- G1. The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect who is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)
- G2. A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.
- G3. The following information (Items G4–G9) is provided for community floodplain management purposes.

G4. Permit Number _____	G5. Date Permit Issued _____	G6. Date Certificate Of Compliance/Occupancy Issued _____
-------------------------	------------------------------	---

- G7. This permit has been issued for: New Construction Substantial Improvement
- G8. Elevation of as-built lowest floor (including basement) of the building: _____ feet meters Datum _____
- G9. BFE or (in Zone AO) depth of flooding at the building site: _____ feet meters Datum _____
- G10. Community's design flood elevation: _____ feet meters Datum _____

Local Official's Name _____	Title _____
Community Name _____	Telephone _____
Signature _____	Date _____

Comments _____

Check here if attachments.

ELEVATION CERTIFICATE, page 3

BUILDING PHOTOGRAPHS
See Instructions for Item A6.

IMPORTANT: In these spaces, copy the corresponding information from Section A.		FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or R.O. Route and Box No. <i>35 PERRY DRIVE</i>		Policy Number:
City <i>Brown</i>	State <i>NJ</i>	ZIP Code <i>08723</i>
		Company NAIC Number:

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



3-19-2015

FRONT + LEFT SIDE VIEW



3-19-2015

REAR + RIGHT SIDE VIEW



Certification of Engineered Flood Openings

In accordance with NFIP, FEMA Technical Bulletin 1-08 and ASCE/SEI 24-05

Certification Statement

I hereby certify that the flood vents manufactured by **USA Foundation Flood Air Vents** (Model No's FO-316, FA-316, FOAL, FAAL, RFPC and RFSS) are designed in accordance with the requirements of the 2011 NFIP "Flood Insurance Manual" to provide automatic equalization of hydrostatic flood loads on exterior walls by allowing the automatic entry and exit of floodwaters during floods up to and including the base 100-year flood. The flood vents must be installed and sized properly as set forth by the requirements below. This certification follows the design requirements and specifications that are established in FEMA Technical Bulletin 1-08 and ASCE/SEI 24-05.

Design Characteristics

I hereby certify that I have measured the flood vent models listed below. I have also calculated the maximum total enclosed area that can be served by each individual model based on the net area of the opening using the equation taken from ASCE/SEI 24-05, Section 2.6.2.2 and the following design assumptions listed below.

Design Assumptions:

- The rates of rise and fall have been assumed to be 5 feet per hour.
- The maximum difference between the exterior and interior floodwater levels have been assumed to be 1 foot during base flood conditions.
- A factor of safety of 5 has been used in the design.

Area of Engineered Openings per ASCE 24, Section 2.6.2.2

$$A_o = (0.0333)[1/c]R(A_e) \rightarrow A_e = A_o / [(0.0333)[1/c]R]$$

Where:

- A_o = Total Net Area of Openings Required (in²)
- 0.0333 = Coefficient Corresponding to a Factor of Safety of 5.0 (in²·hr/ft³)
- c = Opening Coefficient (Non-Dimensional; see ASCE 24, Table 2-2)
- R = Worst Case Rate of Rise and Fall (ft/hr)
- A_e = Total Enclosed Area (ft²)

Maximum Area Coverage in Square Feet per Vent for each Model

Model	Height (in.)	Width (in.)	A_o (in. ²)	Constant (in ² ·hr/ft ³)	c	R (ft/hr)	A_e (ft ²)
FO-316	7.00	15.50	108.50	0.0330	0.400	5	263
FA-316	7.00	15.50	108.50	0.0330	0.400	5	263
FOAL-W	7.00	15.50	108.50	0.0330	0.400	5	263
FOAL-B	7.00	15.50	108.50	0.0330	0.400	5	263
FOAL-G	7.00	15.50	108.50	0.0330	0.400	5	263
FAAL-W	7.00	15.50	108.50	0.0330	0.400	5	263
FAAL-B	7.00	15.50	108.50	0.0330	0.400	5	263
FAAL-G	7.00	15.50	108.50	0.0330	0.400	5	263
RFPC	7.00	13.75	96.25	0.0330	0.398	5	232
RFSS	7.00	13.75	96.25	0.0330	0.398	5	232

*Note: (A_e) is the maximum total enclosed area that can be served for each individual model based on the net area of the opening (A_o)

Limitations and Installation Requirements

This certification will be voided in its entirety if the following installation requirements and limitations are not enforced. USA Foundation Flood Air Vents and Conn Engineering Consultants, Inc. do not recommend or authorize any modifications to the flood vents and will not be held liable for improper installation or modification of the flood vents.

FEMA/ NFIP Limitations and Installation Requirements:

- A minimum of two openings having a total net area of not less than one square inch for every square foot of enclosed area subject to flooding shall be provided.
- The bottom of all openings shall be no higher than one foot above grade that is immediately under each opening.
- Openings may be equipped with screens, louvers, valves or other coverings or devices provided that they permit the automatic entry and exit of floodwaters.
- It is recommended that openings be reasonably distributed around the perimeter of the enclosed area unless there is clear justification for putting all openings on just one or two sides (such as in townhouses or buildings set into sloping sites).
- Where analysis indicates rates of rise and fall greater than 5 feet per hour, the total enclosed area shall be reduced accordingly.

Design Professional

Name / Title: Jason M. Conn, P.E. President, Conn Engineering Consultants, Inc.
 Address: 107 N. Bridge St., Linden, MI 48451
 License Type: Professional Engineer
 State: New Jersey
 License Number: 24GE04573000

Installation Address

Customer and Installation Address:
 35 Perry Drive
 Brick, NJ 08723

Model Installed

Model Number: FOAL-W
 Maximum total enclosed area that can be served for EACH individual vent: 263 Square Feet

Professional Engineering Seal